

Ref. No.

То

Dated : 07-10-2023

The Secretary (Affiliation), Central Board of Secondary Education Preet Vihar, New Delhi – 110092

Subject:- Compliance (SL-90591-2324).

Respected Sir/Madam,

With reference to you application no.: SL-90591-2324 dated 27.12.2022 the school has removed the deficiencies shown is your letter. The point wise statement is given below:-

- 1. School has applied for fresh affiliation upto secondary level. However, NOC uploaded in the portal is upto 8th standard only.
- Ans. School got the NOC certificate upto secondary level on 06/10/2023. NOC attached herewith: <u>https://storage.googleapis.com/zmg-cosmonaut/NOC.pdf</u>
- 2. The ownership of land is not clear. As per land certificate uploaded by the school, land is owned by Sushil Kumar, but it is not clear from the said certificate as to how the owner of the land got the ownership i.e. by Sale deed/Conveyance deed/Gift deed/Allotment letter etc. Hence, ownership title cannot be ascertained.
- Ans. School got the revised Land Certificate on 22/09/2023. Land Certificate attached herewith: https://storage.googleapis.com/zmg-cosmonaut/land_certificate.pdf
- 3. The school does not have toilets for CwSN students. Hence, school is required to make provision of separate toilets for CwSN students (for boys and girls) on every floor with proper possible infrastructural facilities in accordance with the provisions laid down in
- RPwD Act. Ans. School newly constructed the CWSN toilets for the girls and boys separately on every floor and Ramp to access the upper floors and main entrance. Videography uploaded on the YouTube url attached herewith: https://www.youtube.com/watch?v=tXmC48UDUI8&feature=youtu.be
- 4. Composite science lab has not been maintained and upgraded as per SOPs/recommended infrastructure and facilities communicated vide Circular No. 11/2022. Exhaust fans, gas pipeline, bins for biodegradable waste/non-biodegradable waste, fire extinguishers, sinks etc. have not been found in the lab. Lab is not properly equipped and does not have seating arrangement for students. Lab is under stocked. It also does not have adequate storage facilities to store the material. It appears to be under sized also.
- Ans Composite Science Lab is upgraded as per SOPs and sized of the lab is more than 600 sq.ft. Videography uploaded on the YouTube url attached herewith: https://www.youtube.com/watch?v=tXmC48UDUI8&feature=youtu.be
- 5. Computer Lab is under sized & is not sufficiently equipped. It has less number of computers than norms.
- Ans. Computer Lab is upgraded as per SOPs and sized of the lab is more than 600 sq.ft. Videography uploaded on the YouTube url attached herewith: https://www.youtube.com/watch?v=tXmC48UDUI8&feature=youtu.be

- 6. Maths lab is under sized and under stocked. It does not have adequate seating arrangement for students.
- Ans. Maths Lab is upgraded as per SOPs and sized of the lab is more than 600 sq.ft. Videography uploaded on the YouTube url attached herewith: <u>https://www.youtube.com/watch?v=tXmC48UDUI8&feature=youtu.be</u>
- 7. Library is under sized and under stocked with limited seating arrangement that cannot accommodate 40 students at a time. It also does not have separate reading space for the staff.
- Ans. Library is upgraded as per SOPs with the separate reading space for the staff and sized of the library is more than 1200 sq.ft. Videography uploaded on the YouTube url attached herewith: https://www.youtube.com/watch?v=tXmC48UDUI8&feature=youtu.be
- 8. There is no seating arrangement for the students to play indoor games in the sports room.
- Ans. Sports Room is upgraded as per requirement and sized of the room is more than 600 sq.ft. Videography uploaded on the YouTube url attached herewith: https://www.youtube.com/watch?v=tXmC48UDUI8&feature=youtu.be
- 9. School is required to upgrade its facilities including all Labs, Library, sports facilities, basic amenities etc. in the light of SOPs and guidelines issued by the Board before seeking affiliation.
- Ans. All Labs, Library, Sports Room and CWSN upgraded as per SOPs and sized of the lab is more than 600 sq.ft. Videography uploaded on the YouTube url attached herewith: https://www.youtube.com/watch?v=tXmC48UDUI8&feature=youtu.be

School Mandatory Disclosure url attached herewith : http://www.cosmonaut.org.in/about-us/cbse-mandatory-disclosure-1624597799167

You are requested to consider the case and approve the fresh affiliation as soon as possible.

Thanking You For Cosmonaut International School

Principal Principal

Cosmonaut International School, Vill.Brasari, Distt.Sirsa, Haryana. Contact No. : 85999-47999 For Cosmonaut International School Sughil Kumae





Application No.: NOC102023206

Dated: 6-10-2023

Using the powers vested in Rule 33 of the Haryana School Education Rules 2003, the **COSMONAUT INTERNATIONAL SCHOOL, VILL. BRASARI, Distt. SIRSA** is granted No Objection Certificate for affiliation from **CBSE** for Class **1st to 10th** with the condition that the this affiliation will not be valid to raise the stage of school. A separate application will be needed to apply for recognition for raising the stage of Schools.

The school will comply with the conditions contained in Recognition Order No. **PSR102023074**, dated **03-10-2023** and also the instructions issued from time to time by Haryana School Education Department. In case of withdrawal of recognition, this No Objection Certificate will also be considered as withdrawal/cancelled.

Dr. Anshaj Singh Director Secondary Education O/o Director Secondary Education Haryana, Panchkula

Endst. No. Even-

A copy is forwarded to the following information and necessary action:-

1. The Manager/Chairman, committee, KRISHNA DANGI MEMORIAL EDUCATION SOCIETY, VILL. BRASARI, SIRSA.

- 2. District Elementary Education Officer, SIRSA.
- 3. District Education Officer, SIRSA.
- 4. Secretary, Haryana Board of Education, Bhiwani.
- 5. Head Master, COSMONAUT INTERNATIONAL SCHOOL, VILL. BRASARI, Dist. SIRSA.
- 6. I.T Cell (H.Q) for purpose of uploading on website.



Superintendent P.S. For Director Secondary Education Haryana, Panchkula

CERTIFICATE OF LAND

File No.

Certified that the land measuring 8092 Sq. Mtr. is owned by the SUSHIL KUMAR in Zamabandi year 2017 - 2018 way of Sale Deed.

It is further certified that owner of the land has leased the said land to KRISHNA DANGI MEMORIAL EDUCATION SOCIETY fully described in the schedule mentioned hereinafter withthe following details for a period of 30 years from 18/03/2019 to 17/03/2049.

SL	Particulars	Details
1.	No.(s)/Khatauni No.(s)	Khewat No. 205, Murbba No. 16, Khasra No. 14/3/2(4-4), 17/1 (7-8), 24/2 (4-8) Total Rakba 16 Kanal-0 Marla (8092 Sq. Mtr.) 2 Acre
2.	Name of street/village, Sub Division, District and State	Village- BARASARI, Teh – Nathusari Chopta , Disst. – Sirsa (Hry.) 125110

It is certified that the said entire land comprise of a single contiguous plot of land. It is further certified that COSMONAUT INTERNATIONAL SCHOOL, JAMAL-CHOPTA ROAD, Village -BARASARI run by name of KRISHNA DANGI MEMORIAL EDUCATION SOCIETY (Society / Trust /Company under Section 8 of companies Act, 2013) is located on the said plot of land.

THE SCHEDULED OF LAND ABOVE REFERRED TO

All that piece and parcel of land measuring 8092 Sq. Mtr. (area of land in square meters) situated in Khewat No. 205, Murbba No. 16, Khasra No. 14/3/2(4-4), 17/1(7-8), 24/2 (4-8), Rakba 16K-0M [Plot No. (s)/Survey No.(s)/ Khasra No. (s)] at Village- BARASARI, Teh – Nathusari Chopta, Disst.- Sirsa (Hry.) bounded as follows:

North	: Main Road	
East	: Jeet Ram S/O Ramji Lal S/O Het Ram	
West	: Rajender Parsad S/O Mani Ram S/O Lakshman	
South	: Herdeva S/O Ramji Lal S/O Het ram	

DM/ ADM/ SDM/ TEHSILDAR/ NAIB TEHSILDAR/ REGISTRAR/ SUB- REGISTRAR/EQUIVALENT LAND AUTHORITY

(Stamp and Signature of the land authority)

नायव तहसीलचार	(Name of Officer)
माश्रस्री गोर हा	(Name of District)

* The filled up certificate should be either in Hindi or English. If it is issued in vernacular language, translated notarized version in English be uploaded along with the original vernacular certificate as a single pdf.